Page **1** of **12** Issued: 14-May-2020 SDS-15-02993-03 Revision No. 01



SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Identifier

Kleen-Care 1 Disinfectant Wipe

Other Means of Identification

Safco Dental Supply Item Code(s): List of Products in Annex

Synonyms: EPA Reg. No. 88494-2-95924

Company Address

Safco Dental Supply LLC 1111 Corporate Grove Drive Buffalo Grove, IL 60089-4546, USA

Telephone Number (USA): (847) 412-0925

Emergency Telephone Number: 1-800-621-2178

SECTION 2: HAZARD IDENTIFICATION

Physical hazardsFlammable liquidsCategory 2Health hazardsAcute toxicity, inhalationCategory 4Serious eye damage/eye irritationCategory 2A

Specific target organ toxicity, single exposure
Category 3 respiratory tract irritation

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards Not classified

WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapor. Causes serious eye irritation. Harmful if inhaled.

May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.

Use non-sparking tools. Take action to prevent static discharges.

Response In case of fire: Use appropriate media to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call


a POISON CENTER/doctor if you feel unwell.

Storage Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store

locked up.

Disposal Dispose of contents/container in accordance with local, regional, national or

international regulations.



SAFETY DATA SHEET

WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) None known WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) None known Hazard(s) not otherwise classified (HNOC) None known

Supplemental information

United States: This is a registered EPA product. The product labeling is in compliance with EPA regulations and guidelines.

This chemical is a disinfectant product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-disinfectant chemicals. The hazard information required on the disinfectant label is reproduced below. The disinfectant label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

Flammable. Keep away from heat or open flame.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	N° CAS	%
Ethanol		64-17-5	72,5
Didecyl dimethyl ammonium chlor	ride	7173-51-5	0,33

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: FIRST AID MEASURES

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

Skin contact IF ON SKIN (or hair): Rinse skin (hair) with water.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give anything


by mouth if victim is unconscious or is convulsing. Obtain medical attention.

Most important symptoms/effects, acute and delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Symptoms may be delayed.





SAFETY DATA SHEET

General information

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center [NPIC] at 1-800-858-7378, Monday to Friday, 8:00 am to 12:00 pm Pacific Time [NPIC Web site: www.npic.orst.edu].

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Keep away from sources of ignition. No smoking. Avoid contact with eyes and skin. Wear safety glasses with side shields. Protective gloves recommended based on infection control best practices. Keep out of reach of children.

SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures.

This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus.

Special protective equipment and precautions for firefighters

Firefighters should wear full protective clothing including self-contained

breathing apparatus.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire

area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved

materials.

General fire hazards Solid containing flammable liquid

Hazardous combustion products May include and are not limited to: Oxides of carbon.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Remove all possible sources of ignition in the surrounding area. Wear appropriate protective equipment and clothing during clean-up. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Avoid inhalation of vapors. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.



Issued: 14-May-2020 SDS-15-02993-03 Revision No. 01



SAFETY DATA SHEET

Methods and materials for containment and cleaning up

Pick up and discard.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling


Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke.

Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Use only with adequate ventilation. Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. Keep container tightly closed. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Avoid spark promoters. Eliminate sources of ignition. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a closed container away from incompatible materials. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

PESTICIDE STORAGE: Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold.



Value

SAFETY DATA SHEET

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational exposure limits

Components

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Type

Components	туре	Value
Ethanol (CAS 64-17-5)	PEL	1 900 mg/m ³
		1 000 ppm

US. ACGIH Threshold Limit Values

Components Type Value Ethanol (CAS 64-17-5) STEL 1 000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Value Components **Type** Ethanol (CAS 64-17-5) 1 900 mg/m³ **TWA** 1 000 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Appropriate engineering controls

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields.

Skin/Hand protection Product is not irritating to skin based on test data. Protective gloves

recommended based on infection control best practices.

Other Respiratory protection Where exposure guideline levels may be exceeded, use an approved

NIOSH respirator.

Thermal hazards Not applicable.

General hygiene considerations When using do not smoke. Always observe good personal hygiene

> measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES


Appearance Clear Liquid saturated on wipe

Physical State Liquid

Form Liquid saturated on wipe

Colorless Color Odor Alcohol

pН 3.7 @ 77°F (liquid) Melting point/freezing point Not available. Initial boiling point and boiling range Not available. Pour point Not available.





SAFETY DATA SHEET

Specific gravity Not available.

Partition coefficient (n-octanol/water) Not available.

Flash point 65.3 °F (18.5 °C) Tag Closed Cup (liquid)

Evaporation rateNot available. **Flammability (solid, gas)**Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.
Flammability limit - upper (%) Not available.
Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.

Vapor pressure
Vapor density
Relative density
Solubility(ies)
Auto-ignition temperature
Not available.
Not available.
Not available.
Not available.
Not available.
Not available.

Viscosity 3.23 cSt @ 68°F (liquid)

Other information

Density 0.86 (liquid)

SECTION 10: STABILITY AND REACTIVITY

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Do not mix with other chemicals.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation Vapors have a narcotic effect and may cause headache, fatigue, dizziness

and nausea. Harmful if inhaled. Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Non-irritating based

on test data.

Eye contact Moderate eye irritation


Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting.


Information on toxicological effects

Acute toxicity Harmful if inhaled. Narcotic effects. May cause respiratory irritation.





Components	Species	Test Results
NAIC 88494-2 (Wipe) (CAS	Mixture)	
Acute		
Dermal		
LD50	Rat	> 5 000 mg/kg, Tested
Inhalation		
LC50	Rat	> 2,1 mg/L, Tested
Oral		
LD50	Rat	> 5 000 mg/kg, Tested
Didecyl dimethyl ammonium	chloride (CAS 7173-51-5)	
Acute		
Dermal		
LD50	Rabbit	500 mg/kg
Inhalation	Rat	> 1 000 mg/kg
LC50	Not available	
2000	rect available	
Oral		
LD50	Mouse	268 mg/kg
	Rat	329 mg/kg
		84 mg/kg
Ethanol (CAS 64-17-5)		
Acute		
Dermal		
LD50	Rabbit	> 15 800 mg/kg, SIDS initial
Inhalation		assessment report
LC50	Cat	85,4 mg/L, 4,5 Hours, ECHA
2000	Gat	43,7 mg/L, 6 Hours, ECHA
		•
	Mouse	> 60 000 ppm, 60 Minutes, ECHA
		79,4 mg/L, 134 Minutes, ECHA
	Rat	> 115,9 mg/L, 4 Hours, ECHA
		31 623 ppm, 4 Hours, HIMIRA
		20 000 ppm, 10 Hours, HSDB
0 /		51,3 mg/L, 6 Hours, ECHA
<i>Oral</i> LD50	Dog	5,5 g/kg, HSDB
	Guinea pig	5 600 mg/kg, HSDB
	Monkey	6 000 mg/kg
	•	
	Mouse	10 500 ml/kg, ECHA 3 450 mg/kg, SAX
	Pig	> 5 000 mg/kg, ECHA
	Rat	1 187 - 2 769 mg/kg, ECHA
		12 400 mg/kg, ECHA
		10 470 mg/kg, ECHA
		7 800 ml/kg, ECHA





Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye irritation Causes serious eye irritation.

Corneal opacity value
Iris lesion value
Conjunctival reddening value
Conjunctival oedema value
Recover days
Not available.
Not available.
Not available.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethanol (CAS 64-17-5) Volume 44, Volume 96, Volume 100E

Volume 96, Volume 100E

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5) when ingested.

Ethanol is not considered to be a Prop 65 component for this product.

This product is not an alcoholic beverage for consumption.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not available.

Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity - single exposureRespiratory tract irritation. Narcotic effects.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity See below

Ecotoxicological data

Components		Species	Test Results	
Didecyl dimethyl ammonium chloride (CAS 7173-51-5)				
Aquatic				
Fish	LC50	White sturgeon (Acipenser transmontanus)	0,001 - 0,01 mg/L, 96 hours	
Ethanol (CAS 64-17-5)		·		
Crustacea	EC50	Daphnia	11 744,5 mg/L, 48 hours	
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	7,7 - 11,2 mg/L, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/L, 96 hours	

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Page 9 of 12 Issued: 14-May-2020





SAFETY DATA SHEET

Mobility in soil Mobility in general Other adverse effects No data available. Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal instructions

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available, or discard empty container in trash.

CONTAINER DISPOSAL: Refillable container. Refill plastic canister with this brand of pesticide product only. Do not reuse this container for any other purpose. Offer plastic container for recycling if available, or discard in trash.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local, regional, national, or

international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D001: Waste Flammable material with a flash point <140 F

The waste code should be assigned in discussion between the user, the producer

and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

SECTION 14: TRANSPORT

UN number UN3175

UN Proper shipping name Solids containing flammable liquids, n.o.s. (Ethanol)

DOT Classification 4.1 Packing group Ш Basic shipping requirements N.A. **Additional Information**

Special provisions 47, IB6, IP2, T3, TP33

Packaging exceptions < 1 kg - Consumer Commodity ORM-D

ERG number 133



SECTION 15: REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, and any wood or product made of wood.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat or open flame.

WHMIS 2015 Exemptions US federal regulations

Not applicable

This is a registered EPA product. The product labeling is in compliance with EPA regulations and guidelines.

EPA Reg. No. 88494-2-95924

This chemical is a disinfectant product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under US federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-disinfectant chemicals. The hazard information required on the disinfectant label is reproduced below. The disinfectant label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.


Flammable. Keep away from heat or open flame.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.





SAFETY DATA SHEET

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance No SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Illinois Chemical Safety Act: Listed substance

Ethanol (CAS 64-17-5)

US - Louisiana Spill Reporting: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Minnesota Haz Subs: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - New Jersey RTK - Substances: Listed substance

Ethanol (CAS 64-17-5)

US - Texas Effects Screening Levels: Listed substance

Didecyl dimethyl ammonium chloride (CAS 7173-51-5) Listed. Ethanol (CAS 64-17-5) Listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

US. Rhode Island RTK

Ethanol (CAS 64-17-5)

US. California Proposition 65

Ethanol is not considered to be a Prop 65 component for this product. The product is not an alcoholic beverage for consumption.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5) Listed: April 29, 2011

Listed: July 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethanol (CAS 64-17-5) Listed: October 1, 1987

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes


^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)



SECTION 16: OTHER INFORMATION

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	*	1
FLAMMABILITY		3
PHYSICAL HAZA	ARD	0
PERSONAL PROTECTION		х



Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Safco Dental Supply LLC shall not be held liable for any damage resulting from handling or from contact with the products listed in Annex.

ANNEX: LIST OF PRODUCTS

Item Code No.	Description
102-0470	Disinfectant Wipe, 160 Wipes/Canister, 12 Canisters/Case
102-0475	Disinfectant Wipe, 65 Wipes/Canister, 12 Canisters/Case