

Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name (as labeled): Light-Cure Pit & Fissure Sealant

Product Form: Mixture

Part/Item Number: 401-0400 and 401-0500

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:

Recommended Use: Preventative

Restrictions on Use: For Professional Use Only

1.3 Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier Name: Dental Technologies, Inc.
Manufacturer/Supplier Address: 6901 N. Hamlin Avenue

Lincolnwood, IL 60712

Document Number: SDS-059.002

Date Revised: 8/26/2019

Manufacturer/Supplier Telephone Number: 800-835-0885 or 847-677-5500 (Product

Information)

Email address: info@dentaltech.com

1.4 Emergency Telephone Number:

Emergency Contact Telephone Number: Chemtrec

800-424-9300 (USA)

001-703-527-3887 (Outside USA)

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture:

The product as manufactured is a liquid composed of chemical ingredients. No hazardous exposures are anticipated during normal product handling and use conditions.

GHS Classification:				
Health	Environmental	Physical		
Skin irritation Category 2, H315 Eye irritation Category 2B, H319 Skin Sensitization Category 1, H317 Specific target organ toxicity (single exposure): respiratory tract Category 3, H335	Acute Aquatic Toxicity Category 3, H402 Chronic Aquatic Toxicity Category 3, H412	Not hazardous		

2.2 Label Elements:

SDS-059.002 Page 1 of 8



Signal Word: Warning

Hazard Phrases	Precautionary Phrases
H315 – Causes skin irritation	P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.
H317 – May cause an allergic reaction	P264 – Wash skin thoroughly after handling.
H319 – Causes serious eye irritation	P271 – Use only outdoors or in a well-ventilated area.
H335 – May cause respiratory irritation	P272 – Contaminated work clothing should not be
H402 – Harmful to aquatic life	allowed out of workplace.
H412 – Harmful to aquatic life with long lasting effects	P273 – Avoid release to the environment.
	P280 – Wear protective gloves/protective clothing/eye
	protection/face protection.
	P302+P352 – IF ON SKIN: wash with plenty of soap and
	water.
	P304+P340 – IF INHALED: Remove victim to fresh air
	and keep at rest in a position comfortable for breathing.
	P305+P351+P338 – IF IN EYES: Rinse cautiously with
	water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
	P312 – Call a POISON CENTER or doctor/physician if
	you feel unwell.
	P321 – See section 4 for specific treatment.
	P332+P313 – IF SKIN irritation occurs: Get medical
	advice/attention.
	P333+P313 – IF SKIN irritation or rash occurs: Get
	medical advice/attention.
	P337+P313 – If eye irritation persists: Get medical
	advice/attention.
	P362 – Take off contaminated clothing and wash before
	reuse.
	P363 – Wash contaminated clothing before reuse.
	P391 – Collect spillage. Hazardous to the aquatic
	environment.
	P403+P233 – Store in a well-ventilated place. Keep
	container tightly closed.
	P405 – Store locked up.
	P501 – Dispose on contents/container in accordance with
	local and national regulations.

2.3 Other Hazards: None known.

2.4 Unknown acute toxicity (GHS-US): No data available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances: None.

3.2 Mixture:

Hazardous Components	C.A.S. #	Classification	WT %
Chemical Frits	7782-41-4	Specific target organ toxicity	25-50%
		(single exposure), Category 3, H335	
Diurethane Dimethacrylate	72869-86-4	Skin Sensitization Category 1A, H317	10-25%
		Acute aquatic toxicity category 3, H402	
		Chronic Aquatic Toxicity Category 3,	
		H412	
Ethoxylated Bisphenol A	41637-38-1	Skin irritation Category 2, H315	10-25%
Dimethacrylate		Eye irritation Category 2B, H319	

		Skin Sensitization Category 1, H317 Specific target organ toxicity (single exposure): respiratory tract Category 3, H335	
Triethylene Glycol Dimethacrylate	109-16-0	Skin Sensitization Category 1, H317	10-25%

The exact concentration is being withheld as a trade secret.

Refer to Section 16 for the full text of the GHS and EU Classifications.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures:			
Eye	Immediately flush victim's eyes with large quantities of water for several minutes, holding the eyelids apart. Get medical attention if irritation persists.		
Skin	Remove contaminated clothing. Wash skin with soap and water. If irritation develops, get medical attention. Launder clothing before re-use.		
Inhalation	Remove victim to fresh air. If breathing is difficult have qualified personnel administer oxygen. If breathing has stopped, administer artificial respiration and get immediate medical attention.		
Ingestion	Rinse out mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Get immediate medical attention.		

4.2 Most Important Symptoms and Effects, Both Acute and Delayed:

Not expected to present a significant hazard under anticipated conditions of normal use. May cause eye and skin irritation. May cause skin sensitization. May be harmful if swallowed.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed:

Immediate medical attention should not be required except in cases of high quantities of ingestion or inhalation. Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals. Signs and symptoms of exposure include: burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. **Note to Physicians (Treatment, Testing, and Monitoring):** Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media: Water spray, carbon dioxide, dry chemical powder, or appropriate foam.
--

5.2 Special Hazards Arising from the Substance or Mixture:

Emits toxic fumes under fire conditions.

5.3 Advice for Fire-Fighters:		
Fire Fighting Procedures:	Use water spray to cool fire-exposed containers. General: Evacuate all personnel; use protective equipment for fire-fighting.	
Precautions for Fire Fighters:	Firefighters should wear full emergency equipment and approved positive pressure self-containing breathing apparatus.	

Recommended Protective Equipment for Fire Fighters:				
EYES/FACE HANDS RESPIRATORY THERMAL				
Cy .				

SDS-059.002 Page 3 of 8

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Remove all ignition sources such as open flames, spark producing equipment, pilot lights, etc. Avoid contact with skin, eyes, or clothing. Wear appropriate protective clothing as described in Section 8.

EYES/FACE	HANDS	RESPIRATORY	SKIN

6.2 Environmental Precautions:

Prevent entry into sewers and waterways. Report releases as required by local, state, and national authorities. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors. Wear appropriate clothing as described in Section 8.

6.3 Methods and Material for Containment and Cleaning up:

Clean up with absorbent material and remove residue with alcohol damp wipe. Rinse spill area with water. Use non-sparking tools and equipment.

6.4 Reference to Other Sections:

Refer to Section 8 for Personal Protective Equipment and Section 13 for Disposal Information.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handing:

Wash thoroughly after handling. Provide appropriate ventilation. For precautions see section 2.2.

7.2 Conditions for Safe Storage, Including Any Incompatibilities:

Store in a cool, dry, well-ventilated area away from heat, direct sunlight, and all other sources of ignition. Store away from incompatible materials. Keep container closed to prevent contamination.

7.3 Specific End Use (s): No specific end use other than that described in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters: No additional information available.

8.2 Exposure Controls:

Appropriate Engineering Controls: None required under normal product handling conditions.

Individual Protection Measures (PPE)

Specific Eye/face Protection: Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards.

Specific Skin Protection: Wear impervious gloves such as natural rubber or neoprene if needed to avoid skin contact. Consult glove supplier for thickness and breakthrough times.

Specific Respiratory Protection: None should be needed under normal use. If exposure limits are exceeded an approved respirator or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form, and concentration. Follow applicable regulations and good industrial hygiene practice. **Specific Thermal Hazards:** None known.

Specific Thermal Hazar ast Tone known.				
Recommended Personal Protective Equipment				
EYES/FACE	HANDS	RESPIRATORY	SKIN	

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties (401-0400/401-0500):

Physical state:	Homogeneous Resin/ Homogeneous Resin	Relative density:	1.53 – 1.61 / 1.52 – 1.60
Appearance:	White – Pale Yellow/ Colorless – Slightly Milky	Explosive limits:	No data available
Odor:	No data available	Vapor pressure (mmHg):	No data available
Odor threshold:	No data available	Vapor density:	No data available
рН:	No data available	Solubility(ies):	No data available
Melting/freezing point:	No data available	Partition coefficient: n-octanol/water:	No data available
Initial boiling point and boiling range:	No data available	Auto-ignition temperature:	No data available
Flash point:	No data available	Decomposition temperature:	No data available
Evaporation rate:	No data available	Viscosity:	No data available
Flammability (solid, gas):	No data available	Oxidizing Properties:	No data available
Explosive Properties:	No data available		

9.2 Other Information: None.

10. STABILITY AND REACTIVITY

- 10.1 Reactivity: Stable at ambient temperature and under normal conditions of use.
- **10.2 Chemical Stability:** Stable under recommended storage conditions.
- **10.3 Possibility of Hazardous Reactions:** None known.
- 10.4 Conditions to Avoid: Keep away from light, heat, sparks, flames, and other sources of ignition.
- 10.5 Incompatible materials: Keep away from light, reducing agents, oxidizing agents, peroxides, amines and open flames.
- **10.6 Hazardous Decomposition Products:** Oxides of Carbon when burned.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Diurethane Dimethacrylate

Acute Oral Toxicity LD50 – Rat	> 2,000 mg/kg
Caustic burning/irritation of skin – rabbit – 4h	Not irritating
Serious eye damage/eye irritation – rabbit	Not irritating
Respiratory/skin sensitization	Sensitizing

Poly(oxy-1,2-ethanediyl),.alpha.,.alpha.' –[1-methylethylidene) di-4,1-phenylene]

bis[.omega.-[(2-methyl – 1-oxo-2-propenyl)]-:

Acute Toxicity:	
Oral – Rat – LD50	> 2,000 mg/kg
Dermal – Rat – LD50	> 2,000 mg/kg

Triethylene Glycol Dimethacrylate:

Acute Toxicity:	
Oral – Mouse – LD50	10,750 mg/kg
Oral – Rat – LD50	10,837 mg/kg
Carcinogenicity:	Triethylene Glycol Dimethacrylate may contain trace
	quantities of substances known to the state of California
	to cause cancer and/or reproductive toxicity.

12. ECOLOGICAL INFORMATION

12.1 Toxicity:

Diurethane Dimethacrylate:

Acute aquatic toxicity category 3 (UN-GHS)

Chronic aquatic toxicity category 3 (UN-GHS)

LC50 Brachydanio rerio – 96h: > 100 mg/L

Poly(oxy-1,2-ethanediyl),.alpha.,.alpha.' –[1-methylethylidene) di-4,1-phenylene]

bis[.omega.-[(2-methyl – 1-oxo-2-propenyl)]-:

Fish - LD50 - 96h: > 100mg/L

Daphnia magna – EC50 - 48h: > 100 mg/L

Algae – EC50 – 72h: > 100 mg/L

- 12.2 Persistence and Degradability: No data available.
- 12.3 Bio-accumulative Potential: No data available.
- 12.4 Mobility in Soil: No data available.

12.5 Results of PBT and vPvB Assessment: No data available.

12.6 Other Adverse Effects: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Regulations: Dispose in accordance with all national and local regulations.

Properties (Physical/Chemical) Affecting Disposal: None currently known.

Waste Treatment Recommendations: Dispose in accordance with all national and local regulations.

14. TRANSPORT INFORMATION

14.1. UN number

N/A

14.2. UN proper shipping name

N/A

14.3. Transport hazard class(es)

N/A

14.4. Packing group

N/A

14.5. Environmental hazards

No data available

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

U.S. Federal Regulations

Diurethane Dimethacrylate:

REACH	Pre-registered
TSCA	Listed or exempted
DSL	Not listed
AICS	Listed or exempted
ECL	Listed or exempted
IECSC	Listed or exempted
HSNO	Listed or exempted
SARA 302 Components	None
SARA 313 Components	None
SARA 311/312 Hazards	None
Pennsylvania Right to Know Components	Diurethane Dimethacrylate (Cas No. 72869-86-4)

 $Poly (oxy-1,2-ethane diyl),. alpha.,. alpha.'-[1-methylethylidene)\ di-4,1-phenylene]$

bis[.omega.-[(2-methyl – 1-oxo-2-propenyl)]-:

TSCA	Listed
DSL	Listed
NDSL	Not Listed
EINECS	Listed
SARA 311/312 Hazard Categories	None

SARA 313 Components	None

Triethylene Glycol Dimethacrylate:

Themylene Grycor Dimethaerylate.	
OSHA	This material is considered hazardous by the OSHA
	Hazard Communication Standard (29 CFR 1910.1200)
TSCA	Listed
DSL/NDSL	Listed
EINECS	Listed
SARA Section 302	There may be specific Threshold Planning Quantities for
	the components of this product.
SARA 311/312 Hazard Categories	Immediate (Acute) Health
SARA 313 Components	None
WHMIS Hazard Class	This product has been classified according to the hazard
	criteria of the CPR and MSDS contains all of the
	Information required by the CPR. None of the
	Components of this product are listed on the Priorities
	Substances List.

15.2 Chemical Safety Assessment: None required.

16. OTHER INFORMATION

HMIS Hazard Rating:

Health: 1	Flammability: 1	Reactivity: 1
-----------	-----------------	---------------

Full text of Classification abbreviations used in Section 2 and 3:

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

Supersedes: MSDS-059 Rev001 Date updated: 8/26/2019

Change Control Document #: DCN 6943

Revision Summary: August 26th, 2019 : Converted MSDS to Reach SDS. Updated all sections.

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical

Bureau, ESIS, Country websites for occupational exposure limits.

Manufacturer disclaimer:

FOR DENTAL USE ONLY. The information and recommendations are taken from sources (raw material MSDS(s), SDS(s) and manufacturers knowledge) believed to be accurate; however, the manufacturer makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.