

1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Articulating Papers impregnated 200 micron

1.2 Trade Name: Bausch Articulating Papers with progressive color transfer

1.2.1 Ref-No.: BK 01, BK 1001, BK 03, BK 05, BK 02, BK 04, BK 1002, BK 101, BK 102

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

| <u>Substance</u> | <u>CAS Number</u> | <u>Concentration, %</u> |
|---------------------|---------------------------------|-------------------------|
| Pigment blue C.I.27 | 25869-00-5 | 10 % |
| CI Pigment red 170 | 2786-76-7 | 10 % |
| white mineral oil | pharmaceutical quality | 50 % |
| natural waxes | cosmetic/pharmaceutical quality | 30 % |

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO₂, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

| | |
|---|-----------------------------|
| 6 Accidental Release Measures Clean up excess material & place in container for disposal, treat as office waste. | |
| 7 Handling and Storage Store in cool dry areas avoid sparks, flame and excessive heat | |
| 8 Exposure Controls/Personal Protection General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use. | |
| 9 Physical and Chemical Properties Paper, no distinct odor | |
| 10 Stability and Reactivity <ul style="list-style-type: none"> • Chemical Stability: Stable • Hazardous Polymerization: Will not occur • Reacts with: None Known | |
| 11 Toxicological Information No data available | |
| 12 EcologicalData No data available | |
| 13 Disposal Consederations Dispose of all waste material in accordance with all applicable federal, state and local regulations | |
| 14 Transport Information DOT Information: No regulated | |
| 15 Regulatory Information <ul style="list-style-type: none"> • International: Canada: All components are either listed on or exempt from Canadian (DSL). • Federal (USA): All components are either listed on or exempt from TSCA. | |
| Prepared By: Peter Bausch | Translated By: Peter Bausch |
| Date: 2014-11-17 | Date: 2014-11-17 |




Dr. Jean Bausch GmbH & Co. KG
 Oskar-Schindler-Str. 4
 D-50769 Köln - Germany
 Tel: +49 (221) - 70 93 6-0
 Fax: +49 (221) - 70 93 6-66
www.bausch.net



This is the real copy of the original document

12. MAI 2015

and/ or registration certificate
 Dr. Jean Bausch GmbH & Co. KG

1 Identification of the Substance/Preparation and of the Company/Undertaking

- 1.1 Product Type:** Articulating Papers impregnated 100 micron
- 1.2 Trade Name:** Bausch Articulating Papers with progressive color transfer
- 1.2.1 Ref-No.:** BK 51, BK 52, BK 53, BK 54, BK 57, BK 58

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

| Substance | CAS Number | Concentration, % |
|---------------------|---------------------------------|------------------|
| Pigment blue C.I.27 | 25869-00-5 | 10 % |
| CI Pigment red 170 | 2786-76-7 | 10 % |
| white mineral oil | pharmaceutical quality | 50 % |
| natural waxes | cosmetic/pharmaceutical quality | 30 % |

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals


Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

| | |
|---|-----------------------------|
| 6 Accidental Release Measures Clean up excess material & place in container for disposal, treat as office waste. | |
| 7 Handling and Storage Store in cool dry areas avoid sparks, flame and excessive heat | |
| 8 Exposure Controls/Personal Protection General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use. | |
| 9 Physical and Chemical Properties Paper, no distinct odor | |
| 10 Stability and Reactivity <ul style="list-style-type: none"> • Chemical Stability: Stable • Hazardous Polymerization: Will not occur • Reacts with: None Known | |
| 11 Toxicological Information No data available | |
| 12 Ecological Data No data available | |
| 13 Disposal Considerations Dispose of all waste material in accordance with all applicable federal, state and local regulations | |
| 14 Transport Information DOT Information: No regulated | |
| 15 Regulatory Information <ul style="list-style-type: none"> • International: Canada: All components are either listed on or exempt from Canadian (DSL). • Federal (USA): All components are either listed on or exempt from TSCA. | |
| Prepared By: Peter Bausch | Translated By: Peter Bausch |
| Date: 2014-11-17 | Date: : 2014-11-17 |




Dr. Jean Bausch GmbH & Co. KG
 Oskar-Schindler-Str. 4
 D-50769 Köln - Germany
 Tel: +49 (221) - 70 93 6-0
 Fax: +49 (221) - 70 93 6-66
 www.bausch.net



This is the real copy of the original document

12. MAI 2015

and/ or registration certificate
 Dr. Jean Bausch GmbH & Co. KG

1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Occlusion Test Papers 40 micron

1.2 Trade Name: Bausch Arti-Check Occlusion Papers micro thin 40µ

1.2.1 Ref-No.: BK 09, BK 10, BK 11, BK 12, BK 13, BK 14, BK 15, BK 16, BK 17, BK 18
BK 61, BK 62, BK 63, BK 80, BK 81, BK 1013, BK 1014, BK 1015, BK 1016

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

| Substance | CAS Number | Concentration, % |
|---------------------------------------|------------|------------------|
| Pigment blue C.I.27 | 25869-00-5 | 10 % |
| CI Pigment red 170 | 2786-76-7 | 10 % |
| CI Pigment red 48:2 | 7023-61-2 | 12 % |
| Pigment blue 61 | 1324-76-1 | 12 % |
| Poly-(vinylchloride-co-vinyl)-acetate | 9003-22-9 | 17 % |
| castor oil | 8001-79-4 | 50 % |

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.


5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO₂, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.



| | | | | |
|--|-----------------------------|-----------------------------|------------------|------------------|
| <p>6 Accidental Release Measures Clean up excess material & place in container for disposal, treat as office waste.</p> | | | | |
| <p>7 Handling and Storage Store in cool dry areas avoid sparks, flame and excessive heat</p> | | | | |
| <p>8 Exposure Controls/Personal Protection General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.</p> | | | | |
| <p>9 Physical and Chemical Properties Paper, no distinct odor</p> | | | | |
| <p>10 Stability and Reactivity</p> <ul style="list-style-type: none"> • Chemical Stability: Stable • Hazardous Polymerization: Will not occur • Reacts with: None Known | | | | |
| <p>11 Toxicological Information No data available</p> | | | | |
| <p>12 EcologicalData No data available</p> | | | | |
| <p>13 Disposal Consederations Dispose of all waste material in accordance with all applicable federal, state and local regulations</p> | | | | |
| <p>14 Transport Information DOT Information: No regulated</p> | | | | |
| <p>15 Regulatory Information</p> <ul style="list-style-type: none"> • International: Canada: All components are either listed on or exempt from Canadian (DSL). • Federal (USA): All components are either listed on or exempt from TSCA. | | | | |
| <table border="1"> <tr> <td>Prepared By: Peter Bausch</td> <td>Translated By: Peter Bausch</td> </tr> <tr> <td>Date: 2014-11-17</td> <td>Date: 2014-11-17</td> </tr> </table> | Prepared By: Peter Bausch | Translated By: Peter Bausch | Date: 2014-11-17 | Date: 2014-11-17 |
| Prepared By: Peter Bausch | Translated By: Peter Bausch | | | |
| Date: 2014-11-17 | Date: 2014-11-17 | | | |




Dr. Jean Bausch GmbH & Co. KG
 Oskar-Schindlerstr. 1
 D-50769 Köln - Germany
 Tel: +49 (221) - 70 93 30-0
 Fax: +49 (221) - 70 93 30-20
 www.bausch.net



This is the real copy of the original document

12. MAI 2015

and/ or registration certificate
 Dr. Jean Bausch GmbH & Co. KG

1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Gnatho-Film 16 micron

1.2 Trade Name: Bausch Gnatho-Film 16 micron

1.2.1 Ref-No.: BK 120, BK 121, BK 122, BK 123, BK 170, BK 171, BK 172, BK 173

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
 D-50769 Köln – Germany
 Phone: +49-221-70936-0
 Fax: +49-221-70969-66
 E-Mail: info@bauschdental.de
 Transportation: +49-221-70936-0
 Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Polyethylen Film coated on one side with oil, pigment, wax mixture

| Substance | CAS Number | max.Concentration, % |
|-----------------------|---------------------------------|----------------------|
| Pigment blue C.I.27 | 25869-00-5 | 10 % |
| CI Pigment red 170 | 2786-76-7 | 10 % |
| Pigment Red 48:2 | 7023-61-2 | 10 % |
| Pigment Red 52:2 | 12238-31-2 | 10 % |
| C.I.Pigment 15:1 | 147-14-8 | 10 % |
| Pigment Green 7 | 1328-53-6 | 10 % |
| C.I.Pigment Black 6,7 | 2786-76-7 | 10 % |
| 77891 Pigment White 6 | 13463-67-7 | 10 % |
| natural waxes | cosmetic/pharmaceutical quality | 40 % |
| Vegetable waxes | n.a. | 30 % |
| Liquid Paraffin | 8042-47-5 | 50 % |
| Paraffin Wax | 64724-51-4 | 30 % |
| Additive | 31566-31-1 | 1-2 % |

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures


Fire & Explosion Hazard: No unusual hazards.



| | | | | |
|--|-----------------------------|-----------------------------|------------------|------------------|
| <p>6 Accidental Release Measures Clean up excess material & place in container for disposal, treat as office waste.</p> | | | | |
| <p>7 Handling and Storage Store in cool dry areas avoid sparks, flame and excessive heat</p> | | | | |
| <p>8 Exposure Controls/Personal Protection General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.</p> | | | | |
| <p>9 Physical and Chemical Properties Polyester Film, no distinct odor</p> | | | | |
| <p>10 Stability and Reactivity</p> <ul style="list-style-type: none"> • Chemical Stability: Stable • Hazardous Polymerization: Will not occur • Reacts with: None Known | | | | |
| <p>11 Toxicological Information No data available</p> | | | | |
| <p>12 EcologicalData No data available</p> | | | | |
| <p>13 Disposal Consederations Dispose of all waste material in accordance with all applicable federal, state and local regulations</p> | | | | |
| <p>14 Transport Information DOT Information: No regulated</p> | | | | |
| <p>15 Regulatory Information</p> <ul style="list-style-type: none"> • International: Canada: All components are either listed on or exempt from Canadian (DSL). • Federal (USA): All components are either listed on or exempt from TSCA. | | | | |
| <table border="1"> <tr> <td>Prepared By: Peter Bausch</td> <td>Translated By: Peter Bausch</td> </tr> <tr> <td>Date: 2015-05-20</td> <td>Date: 2015-05-20</td> </tr> </table> | Prepared By: Peter Bausch | Translated By: Peter Bausch | Date: 2015-05-20 | Date: 2015-05-20 |
| Prepared By: Peter Bausch | Translated By: Peter Bausch | | | |
| Date: 2015-05-20 | Date: 2015-05-20 | | | |



Dr. Jean Bausch GmbH & Co. KG
 Oskar-Schindler-Str. 4
 D-50769 Köln - Germany
 Tel: +49 (221) - 70 93 6-0
 Fax: +49 (221) - 70 93 6-66
 www.bausch.net



This is the real copy of the original document

20. MAI 2015

and/ or registration certificate
 Dr. Jean Bausch GmbH & Co. KG



1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Arti-Fol Metallic 12 micron

1.2 Trade Name: Bausch Arti-Fol Metallic 12 micron

1.2.1 Ref-No.: BK 28, BK 1028, BK 30, BK 31, BK 32, BK 33, BK 35, BK 38, BK 39

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Polyester Film coated on one or two sides with oil, pigment, wax mixture

| Substance | CAS Number | max.Concentration, % |
|-----------------------|---------------------------------|----------------------|
| Pigment blue C.I.27 | 25869-00-5 | 10 % |
| CI Pigment red 170 | 2786-76-7 | 10 % |
| Pigment Red 48:2 | 7023-61-2 | 10 % |
| Pigment Red 52:2 | 12238-31-2 | 10 % |
| C.I.Pigment 15:1 | 147-14-8 | 10 % |
| Pigment Green 7 | 1328-53-6 | 10 % |
| C.I.Pigment Black 6,7 | 2786-76-7 | 10 % |
| 77891 Pigment White 6 | 13463-67-7 | 10 % |
| natural waxes | cosmetic/pharmaceutical quality | 40 % |
| Vegetable waxes | n.a. | 30 % |
| Liquid Paraffin | 8042-47-5 | 50 % |
| Paraffin Wax | 64724-51-4 | 30 % |
| Additive | 31566-31-1 | 1-2 % |

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures


Fire & Explosion Hazard: No unusual hazards.

F G MSDS Sheet 2.2 Arti-Fol Metallic 12 micron

| | | | | |
|--|-----------------------------|-----------------------------|------------------|------------------|
| <p>6 Accidental Release Measures Clean up excess material & place in container for disposal, treat as office waste.</p> | | | | |
| <p>7 Handling and Storage Store in cool dry areas avoid sparks, flame and excessive heat</p> | | | | |
| <p>8 Exposure Controls/Personal Protection General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.</p> | | | | |
| <p>9 Physical and Chemical Properties Polyester Film, no distinct odor</p> | | | | |
| <p>10 Stability and Reactivity</p> <ul style="list-style-type: none"> • Chemical Stability: Stable • Hazardous Polymerization: Will not occur • Reacts with: None Known | | | | |
| <p>11 Toxicological Information No data available</p> | | | | |
| <p>12 Ecological Data No data available</p> | | | | |
| <p>13 Disposal Considerations Dispose of all waste material in accordance with all applicable federal, state and local regulations</p> | | | | |
| <p>14 Transport Information DOT Information: No regulated</p> | | | | |
| <p>15 Regulatory Information</p> <ul style="list-style-type: none"> • International: Canada: All components are either listed on or exempt from Canadian (DSL). • Federal (USA): All components are either listed on or exempt from TSCA. | | | | |
| <table border="1"> <tr> <td>Prepared By: Peter Bausch</td> <td>Translated By: Peter Bausch</td> </tr> <tr> <td>Date: 2015-05-20</td> <td>Date: 2015-05-20</td> </tr> </table> | Prepared By: Peter Bausch | Translated By: Peter Bausch | Date: 2015-05-20 | Date: 2015-05-20 |
| Prepared By: Peter Bausch | Translated By: Peter Bausch | | | |
| Date: 2015-05-20 | Date: 2015-05-20 | | | |



Dr. Jean Bausch GmbH & Co. KG
 Oskar-Schindler-Str. 4
 D-50769 Köln - Germany
 Tel: +49 (221) - 70 93 6-0
 Fax: +49 (221) - 70 93 6-66
 www.bausch.net



This is the real copy of the original document

20. MAI 2015

and/ or registration certificate
 Dr. Jean Bausch GmbH & Co. KG



1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Arti-Fol 8 micron

1.2 Trade Name: Bausch Arti-Fol 8 micron

1.2.1 Ref-No.: BK 20, BK 21, BK 22, BK 23, BK 24, BK 25, BK 26, BK 27, BK 29, BK 70, BK 71, BK 72, BK 73, BK 74, BK 75, BK 76, BK 77, BK 79, BK 1020, BK 1021, BK 1022, BK 1023, BK 1024, BK 1025, BK 1026, BK 1027, BK 1029

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4
 D-50769 Köln – Germany
 Phone: +49-221-70936-0
 Fax: +49-221-70969-66
 E-Mail: info@bauschdental.de
 Transportation: +49-221-70936-0
 Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

Polyester Film coated on one or two sides with oil, pigment, wax mixture

| Substance | CAS Number | max.Concentration, % |
|-----------------------|---------------------------------|----------------------|
| Pigment blue C.I.27 | 25869-00-5 | 10 % |
| CI Pigment red 170 | 2786-76-7 | 10 % |
| Pigment Red 48:2 | 7023-61-2 | 10 % |
| Pigment Red 52:2 | 12238-31-2 | 10 % |
| C.I.Pigment 15:1 | 147-14-8 | 10 % |
| Pigment Green 7 | 1328-53-6 | 10 % |
| C.I.Pigment Black 6,7 | 2786-76-7 | 10 % |
| 77891 Pigment White 6 | 13463-67-7 | 10 % |
| natural waxes | cosmetic/pharmaceutical quality | 40 % |
| Vegetable waxes | n.a. | 30 % |
| Liquid Paraffin | 8042-47-5 | 50 % |
| Paraffin Wax | 64724-51-4 | 30 % |
| Additive | 31566-31-1 | 1-2 % |

4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.
 Ingestion – not known, but if ingested – seek medical attention.
 Manufactured materials listed as non-toxic.
 Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 300°F and above
 Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

F G MSDS Sheet 2.1 Arti-Fol 8 micron

Special Fire Fighting Procedures: No special procedures
 Fire & Explosion Hazard: No unusual hazards.

6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

9 Physical and Chemical Properties

Polyester Film, no distinct odor

10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

11 Toxicological Information

No data available

12 EcologicalData

No data available

13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

14 Transport Information

DOT Information: No regulated

15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

| | |
|---------------------------|---------------------------|
| Prepared By: Peter Bausch | Translated By: |
| Date: 2015 -03- 20 | Date: 2015 -03- 20 |

This is the real copy of the original document

20. MRZ. 2015

and/ or registration certificate
 Dr.Jean Bausch GmbH & Co.KG



Material Safety Data Sheet

7.1 Grinding/Polishing Paste



1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Grinding/Polishing Paste BK 97 (Paste with abrasive particles)

1.2 Trade Name: Bausch Grinding Paset

1.2.1 Ref-No.: BK 97

1.3 Company: **Dr. Jean Bausch GmbH & Co.KG**

Oskar-Schindler-Straße 4
D-50769 Köln – Germany
Phone: +49-221-70936-0
Fax: +49-221-70969-66
E-Mail: info@bauschdental.de
Transportation: +49-221-70936-0
Emergencies: +49-172-2601451

2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

3 Composition/Information on Ingredients

| <u>Substance</u> | <u>CAS Number</u> | <u>Concentration, %</u> |
|-------------------------------|-------------------|-------------------------|
| Silicon Carbide | 409-21-2 | 25 % |
| Alumnium Oxide | 1344-28-1 | 10 % |
| Calciumcarbonatee | 471-34-1 | 10 % |
| Propandiol | 57-55-6 | 10 % |
| Sodium Carboxymethylcellulose | 9004-32-4 | 1,5 % |
| Mint Oil | 90063-97-1 | 1,5 % |

4 First-Aid Measures

Skin Contact: Skin irritation may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

5 Fire-Fighting Measures

Flash Point: 500°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

Material Safety Data Sheet

7.1 Grinding/Polishing Paste



| | |
|--|----------------|
| 8 Exposure Controls/Personal Protection General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use. | |
| 9 Physical and Chemical Properties Mint Oil | |
| 10 Stability and Reactivity <ul style="list-style-type: none">• Chemical Stability: Stable• Hazardous Polymerization: Will not occur• Reacts with: None Known | |
| 11 Toxicological Information No data available | |
| 12 Ecological Data No data available | |
| 13 Disposal Considerations Dispose of all waste material in accordance with all applicable federal, state and local regulations | |
| 14 Transport Information DOT Information: No regulated | |
| 15 Regulatory Information <ul style="list-style-type: none">• International: Canada: All components are either listed on or exempt from Canadian (DSL).• Federal (USA): All components are either listed on or exempt from TSCA. | |
| Prepared By: Peter Bausch | Translated By: |
| Date: 2014-09-29 | Date: |



Dr. Jean Bausch GmbH & Co. KG
Oskar-Schindler-Str. 4
D-50769 Köln - Germany
Tel: +49 (221) - 70 93 6-0
Fax: +49 (221) - 70 93 6-66
www.bausch.net

This is the real copy of the original document

29. SEP. 2014

and/ or registration certificate
Dr. Jean Bausch GmbH & Co. KG