

## SAFETY DATA SHEET

### Section 1. Product And Company Identification

**Product Name:** Temp-Bond® Clear™ Catalyst

**Product Use:** Dental temporary cement

**Manufacturer:** Kerr Corporation  
1717 W. Collins Ave.  
Orange, CA 92867-5422  
U.S.A.

**Information Phone Number:** 1-800-841-1428 (Customer Service)

**Chemical Emergency Phone Number** (Chemical Spills, Leaks, Fire, Exposure or Accident only):  
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

**SDS Date of Preparation/Revision:** August 9, 2019

### Section 2. Hazards Identification

**GHS Classification:**

Carcinogen Category 2  
Eye Damage Category 1  
Skin Corrosion Category 1B  
Skin Sensitizer Category 1  
Toxic to Reproduction Category 1B  
Specific Target Organ Toxicity Repeated Exposure Category 2

**Label Elements:**

Danger!



**Hazard Phrases**

Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
May damage fertility or the unborn child by ingestion.  
May cause damage to lungs through prolonged or repeated exposure by inhalation.

**Precautionary Phrases:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dusts.  
Wash thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves, protective clothing, eye protection, and face protection.

IF exposed or concerned: Get medical attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

Store locked up.

Dispose of contents and container in accordance with local and national regulations.

### Section 3. Composition/Information on Ingredients

Component	CAS No.	Amount
Fumed silica mixture	Mixture	10-30%
Dibutyl phthalate	84-74-2	10-30%
Fumed silica	68909-20-6	1-5%

### Section 4. First Aid Measures

**Inhalation:** Remove victim to fresh air. If breathing is difficult or irritation persists, get medical attention.

**Skin Contact:** Remove contaminated clothing and shoes. Flush skin thoroughly with water for several minutes. Get medical attention if irritation or rash occurs. Launder clothing before re-use.

**Eye Contact:** Immediately flush eyes with large quantities of water for several minutes, while holding the eyelids apart. Remove contact lenses if easy to do so. Continue rinsing. Get medical attention if irritation persists.

**Ingestion:** Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.

**Most important symptoms and effects, acute and delayed:** May cause moderate eye and skin irritation. May cause skin sensitization. Inhalation of dust from dried product or vapors may cause irritation of the mucous membranes and upper respiratory tract. Prolonged or repeated exposure by inhalation may damage the lungs.

**Indication of immediate medical attention and special treatment, if needed:** Immediate medical attention is not required.

### Section 5. Fire Fighting Measures

**Suitable (and Unsuitable) Extinguishing Media:** Use any media appropriate for the surrounding fire. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Combustion may produce oxides of carbon and nitrogen; and metal oxides.

**Special Protective Equipment and Precautions for Fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Contain water used in firefighting from entering sewers or natural waterways.

## Section 6: Accidental Release Measures

**Personal precautions, Protective equipment, and Emergency procedures:** Avoid contact with eyes, skin and clothing. Wear appropriate protective clothing and equipment. Avoid breathing dust from dried product or vapors.

**Environmental Precautions:** Avoid releases to the environment. Report spill as required by local and federal regulations.

**Methods and Materials for Containment and Cleaning up:** Collect material with an inert absorbent material and place in appropriate, labeled container for disposal.

## Section 7. Handling and Storage

**Precautions for Safe Handling:** Avoid contact with eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke in the work area. Avoid breathing dust or vapors. Use with adequate ventilation. Remove and wash contaminated clothing before reuse.

Empty containers retain product residues which can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, dry, well-ventilated area away from direct sunlight. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

## Section 8. Exposure Controls / Personal Protection

### Exposure Limits

Chemical	Exposure Limit
Fumed silica	None Established
Dibutyl phthalate	5 mg/m <sup>3</sup> TWA ACGIH TLV
Fumed silica	10 mg/m <sup>3</sup> TWA ACGIH TLV (as inhalable dust)
	3 mg/m <sup>3</sup> TWA ACGIH TLV (as respirable dust)

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

**Respiratory Protection:** In operations where exposure levels are exceeded, an approved dust/mist respirator or supplied air respirator should be used. Equipment selection depends on contaminant type

and concentration. Select in accordance with applicable regulations and good industrial hygiene practice.

**Hand protection:** Impervious gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance.

**Eye Protection:** Chemical safety goggles are recommended if contact is possible.

**Skin Protection:** Wear protective clothing as needed to avoid skin contact and contamination of personal clothing.

**Hygiene measures:** Suitable eye and skin washing facilities should be available in the work area.

### Section 9. Physical and Chemical Properties

<b>Appearance:</b>	Paste of various colors	<b>Odor:</b>	Fruity-ester like
<b>Odor Threshold:</b>	Not available	<b>pH:</b>	Not available
<b>Melting/Freezing Point:</b>	Not available	<b>Boiling Point/Range:</b>	Not available
<b>Flash Point:</b>	Not available	<b>Evaporation Rate:</b>	Not available
<b>Flammability: (Solid, Gas)</b>	Not applicable	<b>Flammability Limits:</b>	LEL: Not applicable UEL: Not applicable
<b>Vapor Pressure:</b>	Not available	<b>Vapor Density:</b>	Not available
<b>Relative Density:</b>	~2.5	<b>Solubilities:</b>	Insoluble in water
<b>Partition Coefficient: (N-Octanol/Water)</b>	Not available	<b>Autoignition Temperature:</b>	Not available
<b>Decomposition Temperature:</b>	Not available	<b>Viscosity:</b>	Not available

### Section 10. Stability and Reactivity

**Reactivity:** The product is not expected to be reactive.

**Chemical Stability:** Stable under normal storage and handling conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to avoid:** Keep away from flames, heat, and direct sunlight.

**Incompatible Materials:** Oxidizing materials, reducing materials, peroxide, amines.

**Hazardous decomposition products:** Thermal decomposition will produce oxides of carbon and nitrogen, and metal oxides.

### Section 11. Toxicological Information

#### Potential Health Effects:

**Inhalation:** Inhalation of dust from dried product or vapors may cause nose, throat and upper respiratory tract.

**Skin Contact:** Direct contact may cause moderate skin irritation. May cause an allergic skin reaction.

**Eye Contact:** Direct contact may cause moderate eye irritation.

**Ingestion:** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Chronic Hazards:** May cause damage to lungs through prolonged or repeated exposure by inhalation.

**Skin corrosion/irritation:** This product is expected to cause skin irritation.

**Eye damage/ irritation:** This product is expected to cause eye irritation.

**Skin Sensitization:** This product is expected to cause skin sensitization.

**Respiratory Sensitization:** No data available. This product is not expected to cause respiratory sensitization.

**Germ Cell Mutagenicity:** None of the components have shown mutagenic activity in animal studies.

**Carcinogen:** None of the components are listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

**Developmental / Reproductive Toxicity:** None of the components have been shown to cause reproductive or developmental toxicity.

**Specific Target Organ Toxicity (Single Exposure):** No data available.

**Specific Target Organ Toxicity (Repeated Exposure):** Repeated exposure to this product may cause damage to lungs.

**Aspiration Toxicity:** Not an aspiration hazard.

**Acute Toxicity Values:**

Dibutyl phthalate: LD50 Oral rat: 8000 mg/kg; LC50 Inhalation rat: 4250 mg/m<sup>3</sup>;

LD50 Dermal rabbit: >20860 mg/kg

Fumed silica: LD50 Oral rat: >5000 mg/kg; LC50 Inhalation rat: >0.139 mg/L/4hr (no mortality);

LD50 Dermal rat: >5000 mg/kg

<b>Section 12. Ecological Information</b>
---

**Toxicity:**

Dibutyl phthalate: 96 hr LC50 Pimephales promelas 0.85 mg/L; 48 hr LC50 Daphnia magna 3.7 mg/L

Fumed silica: 96 hr LC50 Brachydanio rerio: >10000 mg/L; 24 hr EC50 Daphnia magna: >10000 mg/L

This product is expected to be harmful to the aquatic environment with long-term adverse effects. Releases to the environment should be avoided.

**Persistence and degradability:** Biodegradation is not applicable to inorganic substances.

**Bioaccumulative Potential:** Dibutyl phthalate has a BCF of 165.96; log P<sub>ow</sub> 4.46; potential for bioaccumulative is low.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** No data available.

### Section 13. Disposal Considerations

**Disposal:** For unused product, dispose of in accordance with Federal and local regulations.

**Container Disposal:** Dispose of empty container in accordance with Federal and local regulations.

### Section 14. Transport Information

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
US DOT	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Dibutyl phthalate)	9	III	Yes
EU ADR/RID	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Dibutyl phthalate)	9	III	Yes
IMDG	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Dibutyl phthalate)	9	III	Yes
IATA/ICAO	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Dibutyl phthalate)	9	III	Yes

**Special Precautions for User:** None identified

**Transport in Bulk According to Annex II MARPOL 73/78 and the IBC Code:** Not applicable – product is transported only in packaged form.

### Section 15. Regulatory Information

#### U.S. Federal Regulations:

**EPA SARA 311/312 Hazard Classification:** Refer to Section 2 for OSHA Hazard Classification.

**EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):**

Dibutyl phthalate

84-74-2

10-30%

**Protection Of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**US EPA TSCA Inventory:** All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

#### Canadian Regulations:

**Canadian Environmental Protection Act:** All of the components in this product are listed on the

Domestic Substances List (DSL) or exempt.

**National Pollutant Release Inventory (NPRI):** This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements NPRI: None.

### **International Inventories**

**Australia:** All of the components in this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

**China:** All of the components in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or exempt.

**European Union:** All the components in this product are listed on the EINECS inventory or exempt.

**Korea:** All of the components in this product are listed on the Korean Existing Chemicals List (KECL) or exempt.

**New Zealand:** All of the components in this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or exempt.

<b>Section 16. Other Information</b>
--------------------------------------

**Effective Date:** August 9, 2019

**Supersedes Date:** February 7, 2019

**Revision Summary:** Sections 2, 3, 8 – Updated classification, composition, exposure limits.

Section 4 – Updated.

Section 9, 10 – Updated physical information and added ingredients to avoid.

Sections 11, 12, 14, 15 - Updated toxicological and ecological information, transport information, and regulatory information.

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, KERR Corporation makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.